



KX 2

Portable electric fan heater



KX 2

Electric fan heater for temporary heating

The KX 2 is a compact and convenient fan heater capable of quickly warming up fairly small areas such as caravans, summer cottages and garages.

- Powerful: 2000 W
- Thermostat and 0-1-2 kW output selector
- Self-limiting ceramic PTC element
- Carrier handle - easy to move
- Two metre power supply cable

Design

The casing is made of stainless steel sheet to EN 1.4016 and the shell is made of galvanized sheet steel painted black. Degree of protection IP21 (drip-proof). If used outdoors, the KX 2 must be installed under cover.

Control

The KX 2 operates with a self-limiting PTC element and low air flow rate. This results in very intensive heat, since the air temperature rises by about 65°C as the air flows through the KX 2.

The fan heater is equipped with a +5°C to +35°C thermostat and a 0-1-2 kW selector switch.

Connections

The KX 2 is equipped with a two meter long power supply cable with earthed plug.



Approvals

The fan heaters have been tested and approved by Intertek Semko in accordance with:

LVD Directive: EN 60335-1 and EN 60335-2-30

EMC Directive: EN 61000-3-2, EN 61000-3-3, EN 55014-1 and EN 55014-2

EMF Directive: EN 62233



Technical data

		KX 2
Power supply	V	230V~
Output	kW	2
Output steps	kW	0-1-2
Current	A	4.3 / 8.7
Sound pressure level ¹⁾	dB(A)	43
Air flow rate	m ³ /h	ca 90
Air temp. rise through heater	°C	ca 65
Degree of protection		IP21
Weight	kg	2.4
Width × Height × Depth	mm	155 × 220 × 190

¹⁾ Measured at a distance of 5 metres in front of the unit.





VEAB Heat Tech AB
Phone: +46(0)451-485 00 • Fax: +46(0)451-410 80
www.veab.com • veab@veab.com
Sweden