

Technical Data Sheet

CODE 11936

MICRO 100

Centrifugal duct fans



Certifications



IMQ



CE



IMQ Performance



CCC




EAC

TECHNICAL AND PERFORMANCE DATA

Absorbed power 1st speed (W)	20	Delivery 1st speed (l/s)	18
Frequency (Hz)	50	Delivery 1st speed (m ³ /h)	65
Insulation Class	II ⁰	Max delivery at max speed (l/s)	25
IP	X4	Max delivery at max speed (m ³ /h)	90
Max ambient temperature for continuous operation (°C)	50	Pressure - 1st speed (mmH2O)	16
Max. absorbed Current at max. speed (A)	0,13	Pressure - 1st speed (Pa)	157
Max. absorbed Current at min. speed (A)	0,10	Pressure max - max speed (mmH2O)	22
Max. absorbed power at max speed (W)	28	Pressure max - max speed (Pa)	216
Nominal Diameter (mm)	100	RPM max	1600
∅ Discharge Hole (mm)	92,5/97	RPM min	1180
Voltage (V)	220-240	Sound pressure in free air conditions [dB(A)] 3m	32,3
Weight (Kg)	1,80	Sound pressure level Lp [dB (A)] 3m - max speed	39,2
		Sound pressure level Lp [dB (A)] 3m - min speed	32,3

DIMENSIONS



Size A (mm)	239
Size B (mm)	195
Size C (mm)	197
Size D (mm)	85
Size E (mm)	74
Size F (mm)	64
Size G (mm)	60
Size H (mm)	97
Size I (mm)	100
Size L (mm)	20
Size T (mm)	117

PER INFORMAZIONI:

Servizio al Cliente: tel +39 02 90699395 premendo 1 dopo messaggio registrato (consulenza su prodotti e impianti)

Pre & Post Vendita: fax +39 02 90699302

Email **prevendita**: prevendita@vortice-italy.com

Technical Data Sheet

CODE 11936

MICRO 100

Centrifugal duct fans



DESCRIPTION

- Material: white ABS plastic
- Capacitor start 2-speed induction motor coupled to a forward bladed centrifugal impeller. Equipped with thermal overload cutout and self-lubricating bushings.
- Nominal diameter 100 mm.
- Minimum air flow 65 m³/h
- Maximum air flow: 90 m³/h
- IMQ SAFETY and IMQ PERFORMANCE certifications.
- Vortice speed controller.

CURVES

ACCESSORIES



**C 1.5
(COMANDO EL.
1.5 A)**

Code 12966



**KIT SCB
(TRASF.E.C.)**

Code 22481



**SCNRB
SCAT.COM.NON
REV.INCASSO**

Code 12971



**DEVIATORE DI
FLUSSO M 10/4**

Code 22310

PER INFORMAZIONI:

Servizio al Cliente: tel +39 02 90699395 premendo 1 dopo messaggio registrato (consulenza su prodotti e impianti)

Pre & Post Vendita: fax +39 02 90699302

Email prevendita: prevendita@vortice-italy.com